

TECHNICAL FABRIC DETAILS

ESTAUS


Plain Velvet is a luxurious and soft fabric available in a wide range of colors, perfect for elegant decorative applications. It features a fire-retardant treatment, ensuring safety and versatility for both residential and commercial projects. Ideal for curtains, upholstery, and other decorative elements that require quality and refinement.



Article specification

Width	142 cm
Horizontal repeat cm	PLAIN
Vertical repeat cm	PLAIN
Composition	100% POL
Weight	360 gr/m ²
Thickness (mm)	

Cleaning Instructions



Use Code

Upholstery

Environmental Standards

FR Standards

EN 1021-1
EN 1021-2

Finish

Optional Fabric Treatment

Mechanical Performance

Abrasion Test / Martindale Rubs (EN ISO 12947-1,2)	50.000
Piling Test (EN ISO 12945-2)	4/5
Colour Fastness to light (ISO 105-B02-2)	4/5
Colour fastness to dry rub (EN ISO 105-X12)	Dry: 4 Wet: 3-4
Tearing strength (ISO 13937-3)	Warp: 72N Weft: 30N
Tensile Strenght (EN ISO 13934-1)	Warp: 1212N Weft: 801N
Colour fastness to artificial weathering (ISO 105-B04)	
Seam slippage (ISO 13936-2)	Warp: 2.2 MM Weft: 2.3 MM
Colour fastness to chlorinated water (ISO 105-E03)	
Ultraviolet protection factor UPF (AZ/NZS 4399/1996)	
Spray test (ISO 24920)	
Shrinkage to washing (ISO 5077:2007)	Warp: Weft:
Water column mm (ISO 20811)	



Damaceno & Antunes
Rua da Alegria 387,
4475-310 Milheirós - Maia
+351229059160 info@damaceno-antunes.pt